

**Global Peripheral Solution
Pvt. Ltd.**

*Experience
You Can Trust...*



ESTD SINCE 1997

GLOBAL PERIPHERAL SOLUTION PVT. LTD.

www.gpspl.co.in



GLOBAL PERIPHERAL SOLUTION PVT. LTD.

Regd. Office : 304, Padma Palace, 86, Nehru Place, New Delhi-110019 | Ph: 9310092963, 9811192963

Branch Office: G16, G.K. House, 187-A, Sant Nagar, East of Kailash, New Delhi-110065 | Ph: 011-35019265

support@gpspl.co.in | Nehru Place-Gagan Line: #068, #069, #070, #071 | khurana.s@gpspl.co.in

khanna.g@gpspl.co.in | karan@gpspl.co.in | vasdev.singh@gpspl.co.in | admin@gpspl.co.in | sales@gpspl.co.in | himanshu@gpspl.co.in | global@gpspl.co.in | suman@gpspl.co.in





BUSINESS
SOLUTIONS

Wide Range of Product Line-up



One By Wacom



Intuos



Intuos Pro



NEW



Cintiq Pro - 17, 22 & 27



Cintiq Pro - 13 & 16

NEW



Cintiq 16



Cintiq 22



DTK-1660E

15.6-inch
Pen Display for
Business



Key Features & Benefits

Outstanding performance and reliability through proven, premium and market-leading digital pen display technology

Superb ease of use with no shrinking/scrolling when viewing and signing full screen A4 & letter-sized documents

Low maintenance and long-life thanks to the highly durable, scratch resistant writing surface

Lower document fraud risk through enhanced security and verification with state-of-the-art AES 256 / RSA 2048 encryption

Flexible and comfortable usage with the ability to switch between landscape and portrait mode to view and sign A4/letter size digital documents within business workflows

Enhanced customer satisfaction through the premium quality and highly intuitive pen and paper-like user experience

Clean, clutter-free workspace with simplified cable management through the 3-in-1 connector cable

WACOM® for Business



**CINTIQ
DTK 2260**



DTH227K4C



**DTC
121W5Z**



CINTIQ 27 QHD

Enrich your Style of Teaching



INTERACTIVE PEN DISPLAYS Wacom Co. Ltd. JAPAN

MARKET SEGMENTS

Banking & Financial Services
Paperless account opening, applications, and transactions



Public Sector
Wacom pen devices help governments and public services be more efficient



Insurance
Paperless policies, applications, claims, and change requests

Wacom MobileStudio Pro 13,
DTH-W1321H/K0-CX,
Intel® Core™ i7-85596U, 512GB SSD

DTK-1660 E / DTH-167-16"
DTH-135K0C-MOVINK-13"



Healthcare
Patients and medical professionals benefit from using electronic pen device



Telecommunications
Paperless contracts bring efficiencies for carriers and providers



Education
Educators and students create, communicate and maximize the learning experience



Services
eSignatures for efficient orders, approvals, and deliveries



Retail Point-of-Sale
Electronic signatures saves time and money



Meeting & Training Rooms
Communicate visually with a Wacom pen display

CLASSROOM



- Teacher maintains eye contact with student without obstructing their view of the content
- Teacher can either sit or stand while teaching - product can be installed on a table or mounted on a lectern
- Built-in USB ports - for teacher to share content using a pen - drive (useful

DISTANT EDUCATION



- Anotate, draw, highlight and explain content in detail using the power of a digital pen
- Using additional software, both text and voice content can be recorded for future use or shared live with remote classroom
- Seamlessly add devices such as a USB micro-phone, USB camera for enhanced

CONTENT CREATION



- Easily create content in handwritten format for better and faster understanding
- Add notes and comments to existing content whether in text, pictorial or handwritten format
- Ideal tool for creating both content and handwriting based study material

SMART CLASS ROOM



HYBRID CLASS ROOM






OUR EXPERTISE

CONNECTED PRODUCTS

HEADPHONES MICROPHONES



AKG
HARMAN

SIGNAL PROCESSORS CONTROLLERS, INTERFACES



BSS
HARMAN

dbx
HARMAN

lexicon
HARMAN

CONTROL & VIDEO



AMX
HARMAN

MULTI-SOURCE WASH LIGHT



Martin
HARMAN

AMPLIFIERS



crown
HARMAN

SPEAKERS



JBL
PROFESSIONAL
HARMAN

MIXING CONSOLES



Soundcraft
by HARMAN

INTRODUCING JETPACK SWITCHING, TRANSPORT, AND CONTROL SOLUTION



AMX by HARMAN Introduces Jetpack 3x1 Switching,
Transport, and Control Solution | AMX Audio Video

BSS
HARMAN

BLU-101
Conferencing Processor with AEC



Global Peripheral Solution
Pvt. Ltd.



MAKE THE SWITCH

YOUR PROJECT. YOUR BUDGET. YOUR NEEDS.

AMX
HARMAN
PRECIS SERIES



INTRODUCING
PRX ONE




FEATURING
JBL'S EXCLUSIVE CONSTANT CURVATURE ARRAY



**FULLY WEATHERIZED
OUTDOOR LED
HIGH-CONTRAST
IMAGE PROJECTOR**


**Exterior
Projection 500**

**FULLY-LOADED
WORKHORSE
ESSENTIALS**



ERA 150


ELP PAR



**Martin
JHARMAN**

**ELP
WW IP & CL IP**

**CLASSIC STYLE
WITH A FOCUS ON FUNCTIONALITY**



**Martin
JHARMAN**

VDO ATOMIC™ BOLD

BLINDER. STROBE. STAGE WASH. EYE CANDY.

LG 136"

MAGNIT



136" MAGNIT All-in-One Micro LED Display

171" All-in-One 21:9 LED Display




136" (P1.5) / 163" (P1.8) All-in-One Direct View LED with webOS™ Controller, & Built-in Speaker



Easy Installation

The installation process of the All-in-One Smart series is very simple. After securing cabinets (two for LAEC015, three for LAEC018), attach each LED display module to them. Lastly, plug in the power cable. This simple installation saves time and labor, thereby making users handle the LED screen with ease.



① Secure cabinets after connecting main power/signals.



② Attach LED modules to cabinets.



③ Connect the power cable.



Global Peripheral Solution
Pvt. Ltd.



LG SMART HTV UT 801 SERIES :- 43"/50"/55"/65"/75"/86"

Built in All App-Netflix | Amazon | Sony Liv | Apple Airplay | 4K-UHD | Smart Voice Remote | Usb | HDMI



Interactive Digital Board TR3DK-BM
LG CreateBoard,
Where Digital Innovation Meets
Instutive Functionality



Genuine Touch &
Writing Experience



Google EDLA



Easy Connection
& Sharing



User Friendly
Experience



Security &
Compatibility



Remote-control
Services

TR3DK-BM

Display	Inch	98" / 86" / 75" / 65" / 55"
	Native Resolution	3,840 × 2,160 (UHD)
	Brightness (w/o Glass)	440 nit (Max.), 390 nit (Typ.)
Touch	Multi-Touch Point	Max. 40 Points
Software	OS Ver.	Andorid 13 (EDLA)
Connectivity	Input	HDMI (3, HDCP2.2), RGB (1, VGA), Audio (1), RS-232C (1), RJ45 (1, LAN), USB 3.0 Type A (4), USB 2.0 Type A (1), USB Type-C (1, USB-PD, DP-Alt)
	Output	HDMI (1), Audio Out (1, Optical 1 (SPDIF)), Touch USB (2), RJ45 (1, LAN)


CREATIVE WHITEBOARD SOLUTION



Multi-touch

LG CreateBoard can simultaneously detect up to 40 points for multi-touch functionality. With a lifelike board touch experience, it allows people to write and touch at the same time, making it easy to collaborate and share ideas with teammates. This boosts efficient interaction in group activities or meetings.

* A max of 32 points are recognized in the Android environment, and a max of 40 points are detected in the Windows environment.
* Up to 10 points can be recognized in the writing app.



Easy to Save / Import / Export

LG CreateBoard includes simple import and export functionality. Resources can be saved and imported directly to and from Google Drive or OneDrive, and files can be imported from a USB drive. (Users can browse resources saved on USB storage). After the meeting, users can easily save and export content through a simple touch. Additionally, users can directly send it via email to share with others or transfer the data to a personal device by scanning a QR code.

LG Outdoor ACTIVE LED



LG Indoor Signage ACTIVE LED




Digital Standee

CUSTOMISED STANDEE

WE TURN YOUR VISION INTO REALITY!



INDOOR SERIES SMART SIGNAGE STANDEE



Experience A Whole New Level of Viewing With Our 21.9 Widescreen Display



21:9 Wide Screen



Remote Device
Management




Ultra High
Resolution



Wireless
ScreenShare

105BM5P

Size	105"
Resolution	5,120 × 2,160 (5K)
Brightness	440 nit (Typ.), 385 nit (Min.)
Product Size	2,490 × 1,074 × 77 mm



21:9 Extended Wide Format

With support for a 21:9 widescreen aspect ratio, 105BM5P provides an immersive viewing experience with the wider screen than 16:9 display. Its screen specialization helps display 21:9 content including widescreen videoconferencing platforms with the natural details.



Portrait / Landscape Mode

The 105BM5P offers versatile usage, with the ability to be used in both vertical and horizontal orientations. This flexibility allows it to adapt to various installation and usage scenarios.

* The orientation must be manually adjusted when changing the installation direction.



PROFESSIONAL DISPLAY-16/7 & 24/7
QB/QM/QH Series- 43", 50", 55", 65", 75", 85", 98"



SMART SIGNAGE
BE Series 43", 50", 55", 65", 70"



Stand alone



Business TV



Video Wall



Outdoor & Window


Video Wall



- 55"** **Battle Cards**
- 1 UHD Resolution**
Eye-Friendly Panel
much more comfortable for Eyes than FHD
 - 2 Passive Pen**
No more concern to lost the special pen.
User can draw any other object likes stick.
 - 3 Easy Connectivity**
Easy to Connect any other Device
& Intuitive Connection guide More Directly
 - 4 4-way touch interaction**
Recognize 4-way touch action according to Input depth.
 - 5 Mobility**
Available to move anywhere
Adapt Today's Meeting Trends (Open/Agile)
 - 6 Pivot**
Support Various contents (PC/Mobile)
Automatically changed each mode



Product Inputs/Outputs/Detail





**SONY PROJECTORS/PROFESSIONAL DISPLAYS /
CAMERA & MIC**



Business Projector

- VPL CXZ10-5000Lm, XGA/Laser
- VPL PHZ51-5800Lm, WUXGA/Laser
- VPL PHZ61-7000Lm, WUXGA/Laser

4K Home Cinema Projector

- XW5000ES-2000Lm, Native 4K, SXRD, Laser
- XW7000SE-3200Lm, Native 4K, SXRD, Laser

Business Projector (Optional Lens)

- VPL FHZ91L-9000Lm, WUXGA, Laser
- VPL FHZ101L-10000Lm, WUXGA, Laser
- VPL FHZ131L-13000Lm, WUXGA, Laser

SONY PROFESSIONAL CAMERA

- SRG-X40UH Standard 4K30P PTZ 30X
- SRG-A12 Megapixel 4K Network 12X
- SRG-A40 PTZ Auto Framing 40X

SONY MIC

- MAS-A100 Ceiling Microphone

- Projector Warranty Three Years
- 3 years/5000Hrs on Laser diode
- Professional Display three years warranty
- Standard wall mount Bracket,
Table Tap Stand and
installation in Sony scope.

- FW43EZ20L
- FW50EZ20L
- FW55EZ20L
- FW65EZ20L
- FW75EZ20L

EZ20L-Series

350nits, Brightness, Smart, Andriod, 4K
UHD, 16X7, Screen Mirroring.
Airplay/chromecast/Direct LED, WI-Fi

- FW43BZ30L
- FW50BZ30L
- FW55BZ30L
- FW65BZ30L
- FW75BZ30L
- FW85BZ30L

BZ30L-Series

440nits, Brightness, Smart, Andriod, 4K
UHD, 24X7, Screen Mirroring.
Airplay/chromecast/Direct LED, WI-Fi

- FW55BZ30L
- FW65BZ35L
- FW75BZ35L

BZ35L -Series

550nits, Brightness, Smart, Andriod, 4K UHD
24x7, Screen Mirroring.
Airplay/chromecast/Direct LED, WI-Fi

- FW43BZ40L
- FW55BZ40L
- FW65BZ40L
- FW75BZ40L
- FW85BZ40L

BZ40L-Series

700 nits, Smart, Android 4K UHD, 24x7,
Screen Mirroring.
Airplay/chromecast/Direct LED, WI-Fi

- FW98BZ50L

BZ50L-Series

780 Typical nits Full Array LED, Smart, Android
4K UHD, 24x7, Screen Mirroring.
Airplay / chromecst / Direct LED, WI-Fi

Rediscover the World Through *Absenicon X*

Born for revolutionary visual experience, features the Micro LED technology, Absenicon X series is an innovative all-in-one direct view LED screen

108"/136"/163"

big screen sizes

600nits

clear imagery under sunlight

160°

ultra-wide viewing angle

MICRO LED (COB TECHNOLOGY)

approved next-generation technology




What are Chip-on-Board ("COB") LEDs?

Chip-on-Board or "COB" refers to the mounting of a bare LED chip in direct contact with a substrate (such as silicon carbide or sapphire) to produce LED arrays. COB LEDs have a number of advantages over older LED technologies, such as Surface Mounted Device ("SMD") LEDs or Dual In-line Package ("DIP") LEDs. Most notably, COB technology allows for a much higher packing density of the LED array, or what light engineers refer to as improved "lumen density". For example, using COB LED technology on a 10mm x 10mm square array results in 38 times more LEDs compared to DIP LED technology and 8.5 times more LEDs compared to SMD LED technology (see diagram below). This results in higher intensity and greater uniformity of light. Alternatively, using COB LED technology can greatly reduce the footprint and energy consumption of the LED array while keeping light output constant. For example, a 500 lumen COB LED array can be many times smaller and consume substantially less energy than a 500 lumen SMD or DIP LED Array.


Comparison of LED Array Packing Density (10mm x 10mm)



9 LEDS



40 LEDs





342 LEDs

NEXT GENERATION
TOUCH SCREEN



LH-65CT1ND
LH-75CT1ND



RAM 4 GB RAM | CPU Quad Core CPU With 1.99hz | ROM 32 GB ROM

EQUIPPED WITH ADVANCED FEATURES




MAGNETIC PENS

- Latency < 40ms
- Excellent sound absorption
- Dual-tip pen supports writing with two colours simultaneously
- 40-point touch allows multi-users to write, draw & mark simultaneously


TYPE-C COMPATIBILITY

Integrate the most useful function for the classroom through a Type-C interface.



Charging 65W	4K Ultra HD 4K
Audio	Video
Networking	

Digital Podium



Menu Board Wall Mount




Contemporary Designed full-motions tv wall mount



Back to Back flat panel ceiling mount



4K HDMI 4X1 QUAD MULTI-VIEWER



MAJOR CLIENTS LIST

DTH / DTK / CINTIQ / DTC
(SALES & SERVICE)



APC Smart UPS
SUA/SRC/SURT



lenovo DELL hp

Server & Storage
Desktop | AiO | NB



DIGITAL CONTROL ROOM



ALL TYPE OF SALE & SERVICE SOLUTION
(IT & AV-BOARD SOLUTION)
SERVICE - WARRANTY EXTENSION PACK
ALSO AVAILABLE



ALL TYPE OF SALES & SERVICE SOLUTION
AVAILABLE FOR ACTIVE LED WALL

HTV (Hotel TV)
Professional Display



VIDEO WALL / MOUNT
&
ALL TYPE OF
CONTROLLER
ALSO AVAILABLE



Panasonic
ideas for life

SONY
EPSON®

Projector &
Accessories/Cable

Projector

HDMI/VGA
Cable



khanna.g@gpspl.co.in | karan@gpspl.co.in | vasdev.singh@gpspl.co.in | admin@gpspl.co.in | sales@gpspl.co.in | himanshu@gpspl.co.in | global@gpspl.co.in | suman@gpspl.co.in